



World Leader in Rating Technology

**2016  
ORC Club  
Certificate**

**Rating Office**

**Offshore  
Racing  
Congress**



**Certificate**

Number **LT1605**  
 Issued On **26/07/2016**  
 ORC Ref **ltu00000573**  
 VPP Ver. **2016 1.01**  
 Valid until **31/12/2016**

**Crew Weight**

Declared **701kg**  
 Default\* **701kg**  
 Non Manual Pwr **No**

**Special Scoring**

ToD ToT  
 Non Spin GPH **701.1 0.8558**  
 Non Spin OSN **675.2 0.8887**  
 N/S Perf. Line **-18.0 0.524**

**Sails Limitations**

Headsails **1** Spinnakers **3**  
**Dacron Sails**  
 Spinnaker configuration  
 Symmetric: **No**  
 Asymmetric: **Yes 85.45**  
 Flying H/S: **No**  
 Spin. Pole: **No**


**Class Division Length**

**CDL = 8.790**

**Stability**

LPS (Estimated): **114.2°**  
 Stability Index: **115.0**  
 OSR Category: **N/A**

**Owner**



<b>BOAT</b> Name <b>Gosail.It – Pietvis</b> Sail Nr <b>LTU 1605</b>		<b>GPH</b> <b>660.9</b>		<b>HULL</b> Data File <b>GosailPietvis</b> LOA <b>10.690m</b> Offset File <b>SOD36ICL.OFF</b> MB <b>3.592m</b> Displacement <b>5,676kg</b> Draft <b>1.929m</b>			
<b>CLASS</b> Class <b>Sun Odyssey 36i</b> Designer <b>Mark Lombard/Jeanne</b> Builder <b>Jeanne</b> Series <b>01/2007</b> Age Date <b>06/2011</b> Age Allowance <b>0.292%</b>				IMS Division <b>Cruiser/Racer</b> Dynamic All. <b>0.334%</b> Fwd Accom. <b>Yes</b> Construction <b>Cored</b> Fiber Rigging <b>No</b> Aramid Core <b>No</b> Crew Arm Ex Carbon Rudder <b>No</b> Light Stanchions <b>No</b>			
<b>COMMENTS</b>				IMSL <b>10.096m</b> VCGD <b>0.370m</b> Sink <b>20.31kg/mm</b> RL <b>7.482m</b> VCGM <b>0.137m</b> WS <b>26.50m²</b> LSM0 <b>10.130m</b> Displacement/Length ratio <b>5.4603</b> Water Ballast <b>0</b> Trim Tab <b>No</b>			
<b>PROPELLER</b> Installation <b>Shaft exposed</b> PRD <b>0.470</b> Type <b>Folding 2 blades</b> PBW <b>0.120</b> PIPA <b>0.0054</b>				<b>CENTERBOARD</b> <b>N/A</b>			
<b>SCORING OPTIONS</b>							
	<b>OFFSHORE</b> COASTAL / LONG DISTANCE			<b>INSHORE</b> WINDWARD / LEEWARD			
Time On Distance	<b>640.1</b>			<b>721.1</b>			
Time On Time	<b>0.9374</b>			<b>0.9360</b>			
Performance Line	PLT <b>0.595</b>	PLD <b>9.7</b>		PLT <b>0.718</b>	PLD <b>148.1</b>		
Triple Number	Low <b>0.8670</b>	Medium <b>1.1634</b>	High <b>1.3360</b>	Low <b>0.6647</b>	Medium <b>0.9243</b>	High <b>1.0988</b>	